Appl. No. 10/612,833 Amdt. dated June 12, 2007 Reply to Office Action of February 1, 2007

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

- 1. (Currently amended) A method for treating an aneurysm within an aorta, the method comprising implanting a device comprising a stent member and a therapeutic agent-carrying member such that the stent is anchored within the aneurysm between adjacent one or more renal arteries and the therapeutic agent-carrying member extends toward the aneurysm, wherein the member comprises a skirt extending from the stent member into the aneurysm and contacting an inner wall of the aorta to release releases at least one therapeutic agent outwardly to a location on an aortic wall in near the aneurysm, wherein the therapeutic agent slows dilation and weakening of the wall of the aorta.
- 16. (Original) The method of claim 1, wherein the aneurysm is an abdominal aortic aneurysm.
- 17. (Original) The method of claim 1, wherein the at least one therapeutic is taken from the group consisting of doxycycline, tetracycline, roxithromycin, a chemically modified tetracycline, and propranolol.
- 18. (Original) The method of claim 1, further comprising delivering at least a second therapeutic agent.
- 19. (Original) The method of claim 18, wherein the first agent is delivered before the second agent.
- 20. (Original) The method of claim 18, wherein the first therapeutic agent is an antibiotic and the second therapeutic agent is a collagen promoting agent.

21. (Currently amended) A device for delivering at least one therapeutic agent to a location near the aneurysm, said device comprising:

an anchor;

a pair of iliac legs extending from the anchor; and

a therapeutic agent-carrying member extending from the anchor and disposed about the iliac legs, wherein the therapeutic agent-carrying member carries the therapeutic agent and the anchor and are configured so that the therapeutic agent-carrying member comprises a skirt extending from the anchor into the aneurysm to contact extends toward a wall of the aneurysm when the anchor is implanted adjacent to the aneurysm and the iliac legs extend into the aneurysm.

- 22. (Previously presented) The device of claim 21, wherein the anchor comprises at least one stent member for maintaining patency of at least a portion of a blood vessel in which the aneurysm is located.
- 24. (Previously presented) The device of claim 21, wherein the drug delivery arrangement is configured to be placed within an abdominal aorta.
- 25. (Previously presented) The device of claim 24, further comprising a second anchor for further anchoring the device in a location above the one or more renal arteries.
- 26. (Previously presented) The device of claim 25, wherein at least one of the anchors includes a self-expanding portion and balloon expandable portion.
- 27. (Previously presented) The device of claim 24, wherein the at least one therapeutic agent is also carried by the anchor.
- 28. (Previously presented) The device of claim 22, wherein at least one stent member and the therapeutic agent-carrying member is configured to be attachable to at least one leg member, the leg member configured to connect the device to at least one iliac artery.

- 37. (Previously presented) The device of claim 21, wherein the therapeutic agent-carrying member is configured to contact a wall of an abdominal aortic aneurysm.
- 38. (Previously presented) The device of claim 21, wherein the at least one therapeutic agent is selected from the group consisting of doxycycline, tetracycline, roxithromycin, a chemically modified tetracycline, and propranolol.
- 39. (Previously presented) The device of claim 21, wherein the at least one therapeutic agent comprises an antibiotic and a collagen promoting agent and the device is configured to deliver the antibiotic to the location near the aneurysm before the collagen promoting agent is delivered.

Claims 40-42 (canceled).